	Application No.	Applicant(s)
Notice of Allowability	10/537,160	USAMI ET AL.
	Examiner	Art Unit
	David H. Chu	2628
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>application filed on 24 October 2006</u> .		
2. The allowed claim(s) is/are <u>1-8</u> .		
3.		
Attachment(s)  1. ☑ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☑ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 1-3  4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal 6. ⊠ Interview Summar Paper No./Mail D 7. ⊠ Examiner's Amend	Patent Application γ (PTO-413), ate <u>1</u> .

Application/Control Number: 10/537,160 Page 2

Art Unit: 2628

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Robert on 10/23/2006.

The application has been amended as follows:

- Refer to attached amended claims
- 2. The following is an examiner's statement of reasons for allowance:
- 3. As to claims 1 and 8,

Reference Moller ("Fast, Minimum Storage Ray-Triangle Tracing") have been made of record as teaching:

- Finding a ray intersection point by geometrically translating a triangle to the origin, and transforming it to a unit triangle with y and z-axis with the ray direction aligned with the x-axis
- 4. However, none of the prior art teaches or suggests:
  - Transforming coordinate system to a newly defied coordinate system as presently claimed.

Application/Control Number: 10/537,160

Art Unit: 2628

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Page 3

Application/Control Number: 10/537,160

Art Unit: 2628

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David H. Chu whose telephone number is (571) 272-8079. The examiner can normally be reached on M-TH 9:00am - 7:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark k. Zimmerman can be reached on (571) 272-7653. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

DHC

MARK ZIWIWIETHWA SUPERVISORY PATENT EXAMINER TEATH OF CENTER 2600

Page 4